



EU REGULATION 2020/740

TYRE LABELLING | IVECO

**carthago**<sup>®</sup>  
Das Reisemobil.

# INFORMATION

The Union has committed itself to creating an energy union with a forward-looking climate policy. Fuel efficiency is a key component of the Union's 2023 climate and energy policy framework and is central to curbing energy demand.

## **Implementation**

Regulation (EU) 2020/740 came into force on 25 June 2020. It repeals and replaces Regulation (EC) No 1222/2009 with effect from 1 May 2021, its date of application. The regulation creates a framework to provide harmonised information on tyre parameters through labelling, enabling end users to make informed decisions when purchasing tyres. The aim is to promote fuel-efficient, safe and low-noise tyres, and thus increase the economic and ecological efficiency of road traffic.

While the content and format of the tyre labelling, i.e. the tyre label, is defined in Annex II, Annex I contains regulations for testing, classification and measurement of the following parameters:

- (A) Fuel efficiency classes and rolling resistance coefficient
- (B) Wet grip classes
- (C) Classes of external rolling noise and measured values
- (D) Snow traction
- (E) Ice traction

Prior to the sale, the Carthago Group is obliged to provide end users with the label for the offered or fitted tyres, as well as the corresponding technical promotional material. It must also ensure that the product data sheet is available.

Your configured vehicle may be equipped with any of the tyre brands listed here, depending on availability at the base vehicle manufacturer and its suppliers.



# ENERG






**BRIDGESTONE**

943761EE

195/75 R16C 110/108 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | BRIDGESTONE   |       |
| Commercial name or trade designation   |                              | DURAVIS R660  |       |
| Tyre type identifier   | Tyre class                   | 943761EE  | C2    |
| Tyre size designation  |                              | 195/75 R16C   |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 110   |       |
| Load-capacity index (for dual mounting)                                      |                              | 108   |       |
| Fuel efficiency class  |                              | B   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 71 dB |
| Tyre for use in severe snow conditions                                       |                              | No  |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 14/21   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | QA Operations, Via del Fosso de I Salceto 13/15, 00128 Rome, IT |       |
| Additional information   |                              | info in english   |       |



# ENERG





**BRIDGESTONE**

943762EE

225/75 R16 C 121/120 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | BRIDGESTONE   |       |
| Commercial name or trade designation   |                              | DURAVIS R660  |       |
| Tyre type identifier   | Tyre class                   | 943762EE  | C2    |
| Tyre size designation  |                              | 225/75 R16 C  |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 121   |       |
| Load-capacity index (for dual mounting)                                      |                              | 120   |       |
| Fuel efficiency class  |                              | A   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 71 dB |
| Tyre for use in severe snow conditions                                       |                              | No  |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 23/21   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | QA Operations, Via del Fosso de I Salceto 13/15, 00128 Rome, IT |       |
| Additional information   |                              | IPC 18867   |       |




# ENERG




**BRIDGESTONE**

943891EE


225/75 R16 C 10 PR 121/120 R C2



**C**



**A**



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | BRIDGESTONE   |       |
| Commercial name or trade designation   |                              | DURAVIS ALL SEASON  |       |
| Tyre type identifier   | Tyre class                   | 943891EE  | C2    |
| Tyre size designation  |                              | 225/75 R16 C 10 PR  |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 121   |       |
| Load-capacity index (for dual mounting)                                      |                              | 120   |       |
| Fuel efficiency class  |                              | C   |       |
| Wet grip class   |                              | A   |       |
| External rolling noise class   | External rolling noise value | A   | 72 dB |
| Tyre for use in severe snow conditions                                       |                              | Yes   |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 11/21   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Customer Relation Department, Alikahya Fatih mah. Sanayi cad. No:98 41310 Izmit /KOCAELI TURKEY |       |
| Additional information   |                              | IPC 19550   |       |



# ENERG





**NEXENTIRE**

15158

195/75R16C 110/108 T

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |  |             |       |
|--|--|-------------|-------|
| Supplier name or trademark   |  | NEXENTIRE   |       |
| Commercial name or trade designation   |  | ROADIAN CT8 |       |
| Tyre type identifier   | Tyre class   | 15158       | C2    |
| Tyre size designation  |  | 195/75R16C  |       |
| Speed category symbol  |  | T 190 km/h  |       |
| Load-capacity index (for single mounting)                                    |  | 110         |       |
| Load-capacity index (for dual mounting)                                      |  | 108         |       |
| Fuel efficiency class  |  | C           |       |
| Wet grip class   |  | A           |       |
| External rolling noise class   | External rolling noise value                               | B           | 71 dB |
| Tyre for use in severe snow conditions                                       |  | No          |       |
| Load-capacity index for Additional Service Description (for single mounting) |  | -           |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |  | -           |       |
| Speed category symbol (for Additional Service Description)                   |  |             |       |
| Date of start of production (Week / Year)                                    |  | 30/14       |       |
| Date of end of production (Week / Year)                                      |  | -           |       |
| Supplier   | Public contact, Lise-Meitner-Strasse 1, 65779 Kelkheim, DE |             |       |
| Additional information   |  |             |       |



# ENERG



**NEXENTIRE**

16505

195/75R16C 110/108 R

C2

Energy efficiency and wet grip performance indicators. The left side shows a fuel pump icon and a tire. The right side shows a tire with rain and a cloud. Below are two sets of energy efficiency arrows (A-E) and a wet grip arrow (C). A noise icon shows 72 dB and a snowflake icon indicates severe snow conditions.

2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | NEXENTIRE   |       |
| Commercial name or trade designation   |                              | WINGUARD WT1  |       |
| Tyre type identifier   | Tyre class                   | 16505   | C2    |
| Tyre size designation  |                              | 195/75R16C  |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 110   |       |
| Load-capacity index (for dual mounting)                                      |                              | 108   |       |
| Fuel efficiency class  |                              | D   |       |
| Wet grip class   |                              | C   |       |
| External rolling noise class   | External rolling noise value | B   | 72 dB |
| Tyre for use in severe snow conditions                                       |                              | Yes   |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 05/14   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Public contact, Lise-Meitner-Strasse 1,<br>65779 Kelkheim, DE |       |
| Additional information   |                              |   |       |



# ENERG





**MICHELIN**

246244

225/75R16C 121/120 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | MICHELIN  |       |
| Commercial name or trade designation   |                              | AGILIS+   |       |
| Tyre type identifier   | Tyre class                   | 246244  | C2    |
| Tyre size designation  |                              | 225/75R16C  |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 121   |       |
| Load-capacity index (for dual mounting)                                      |                              | 120   |       |
| Fuel efficiency class  |                              | C   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 70 dB |
| Tyre for use in severe snow conditions                                       |                              | No  |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 27/11   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR |       |
| Additional information   |                              | 225/75 R 16C 121/120R TL AGILIS+ GRNX M   |       |





# ENERG





**Continental**

0451173

225/75 R 16 C 121/120 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | Continental   |       |
| Commercial name or trade designation   |                              | CONTIVANCONTACT 100   |       |
| Tyre type identifier   | Tyre class                   | 0451173   | C2    |
| Tyre size designation  |                              | 225/75 R 16 C   |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 121   |       |
| Load-capacity index (for dual mounting)                                      |                              | 120   |       |
| Fuel efficiency class  |                              | B   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 72 dB |
| Tyre for use in severe snow conditions                                       |                              | No  |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 01/14   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Continental Reifen Deutschland GmbH,<br>Vahrenwalder Straße 9, 30165 Hannover, DE |       |
| Additional information   |                              |   |       |



# ENERG





**Continental**

0451182

195/75 R 16 C 110/108 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | Continental   |       |
| Commercial name or trade designation   |                              | CONTIVANCONTACT 100   |       |
| Tyre type identifier   | Tyre class                   | 0451182   | C2    |
| Tyre size designation  |                              | 195/75 R 16 C   |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 110   |       |
| Load-capacity index (for dual mounting)                                      |                              | 108   |       |
| Fuel efficiency class  |                              | B   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 72 dB |
| Tyre for use in severe snow conditions                                       |                              | No  |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 01/14   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Continental Reifen Deutschland GmbH,<br>Vahrenwalder Straße 9, 30165 Hannover, DE |       |
| Additional information   |                              |   |       |



# ENERG





**Continental**

0451626

195/75 R 16 C 110/108 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | Continental   |       |
| Commercial name or trade designation   |                              | VanContact 4Season  |       |
| Tyre type identifier   | Tyre class                   | 0451626   | C2    |
| Tyre size designation  |                              | 195/75 R 16 C   |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 110   |       |
| Load-capacity index (for dual mounting)                                      |                              | 108   |       |
| Fuel efficiency class  |                              | C   |       |
| Wet grip class   |                              | A   |       |
| External rolling noise class   | External rolling noise value | B   | 73 dB |
| Tyre for use in severe snow conditions                                       |                              | Yes   |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 44/17   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Continental Reifen Deutschland GmbH,<br>Vahrenwalder Straße 9, 30165 Hannover, DE |       |
| Additional information   |                              |   |       |



# ENERG





**Continental**

0473364

225/75 R 16 C 121/120 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | Continental   |       |
| Commercial name or trade designation   |                              | VANCOFOURSEASON 2   |       |
| Tyre type identifier   | Tyre class                   | 0473364   | C2    |
| Tyre size designation  |                              | 225/75 R 16 C   |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 121   |       |
| Load-capacity index (for dual mounting)                                      |                              | 120   |       |
| Fuel efficiency class  |                              | D   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 73 dB |
| Tyre for use in severe snow conditions                                       |                              | Yes   |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 53/19   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Continental Reifen Deutschland GmbH,<br>Vahrenwalder Straße 9, 30165 Hannover, DE |       |
| Additional information   |                              |   |       |



# ENERG





**MICHELIN**

557121

195/75R16C 110/108 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | MICHELIN  |       |
| Commercial name or trade designation   |                              | AGILIS 3  |       |
| Tyre type identifier   | Tyre class                   | 557121  | C2    |
| Tyre size designation  |                              | 195/75R16C  |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 110   |       |
| Load-capacity index (for dual mounting)                                      |                              | 108   |       |
| Fuel efficiency class  |                              | B   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 71 dB |
| Tyre for use in severe snow conditions                                       |                              | No  |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 46/17   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR |       |
| Additional information   |                              | 195/75 R 16C 110/108R TL AGILIS 3 MI  |       |



# ENERG





**MICHELIN**

663303

225/75R16C 118/116 R

C2



2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | MICHELIN  |       |
| Commercial name or trade designation   |                              | AGILIS+   |       |
| Tyre type identifier   | Tyre class                   | 663303  | C2    |
| Tyre size designation  |                              | 225/75R16C  |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 118   |       |
| Load-capacity index (for dual mounting)                                      |                              | 116   |       |
| Fuel efficiency class  |                              | C   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 70 dB |
| Tyre for use in severe snow conditions                                       |                              | No  |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 27/11   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR |       |
| Additional information   |                              | 225/75 R 16C 118/116R TL AGILIS+ GRNX MI  |       |



# ENERG



**MICHELIN**

920172

225/75R16C 121/120 R

C2

2020/740

## PRODUCT INFORMATION SHEET

Delegated Regulation (EU) 2020/740

|  |                              |   |       |
|--|------------------------------|---|-------|
| Supplier name or trademark   |                              | MICHELIN  |       |
| Commercial name or trade designation   |                              | AGILIS ALPIN  |       |
| Tyre type identifier   | Tyre class                   | 920172  | C2    |
| Tyre size designation  |                              | 225/75R16C  |       |
| Speed category symbol  |                              | R 170 km/h  |       |
| Load-capacity index (for single mounting)                                    |                              | 121   |       |
| Load-capacity index (for dual mounting)                                      |                              | 120   |       |
| Fuel efficiency class  |                              | C   |       |
| Wet grip class   |                              | B   |       |
| External rolling noise class   | External rolling noise value | B   | 71 dB |
| Tyre for use in severe snow conditions                                       |                              | Yes   |       |
| Load-capacity index for Additional Service Description (for single mounting) |                              | -   |       |
| Load-capacity index for Additional Service Description (for dual mounting)   |                              | -   |       |
| Speed category symbol (for Additional Service Description)                   |                              |   |       |
| Date of start of production (Week / Year)                                    |                              | 29/13   |       |
| Date of end of production (Week / Year)                                      |                              | -   |       |
| Supplier   |                              | Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR |       |
| Additional information   |                              | 225/75 R 16C 121/120R TL AGILIS ALPIN M   |       |



# ENERG




**Continental**


0473357

235/65 R 16 C 115/113 R


C2



**D**



**B**



73 dB  
ABC



2020/740

## PRODUCT DATA SHEET

Delegated regulation (EU) 2020/740

|  |                              |  |       |
|--|------------------------------|--|-------|
| Name or trademark of supplier  |                              | CONTINENTAL  |       |
| Trading name or trademark  |                              | VANCOFOURSEASON 2  |       |
| Tyre type code   | Tyre class                   | 0473357  | C2    |
| Tyre type specification  |                              | 235/65 R 16 C  |       |
| Speed category symbol  |                              | R 170 km/h   |       |
| Tyre load index (for single tyres)                                       |                              | 115  |       |
| Tyre load index (for double tyres)                                       |                              | 113  |       |
| Fuel efficiency class  |                              | D  |       |
| Wet grip class   |                              | B  |       |
| External rolling noise class   | External rolling noise value | B  | 73 dB |
| Tyres suitable for use in extreme snow conditions                        |                              | Yes  |       |
| Tyre load index for additional company identification (for single tyres) |                              | -  |       |
| Tyre load index for additional company identification (for double tyres) |                              | -  |       |
| Speed category symbol (for additional company identification)            |                              |  |       |
| Manufacturing start date (week / year)                                   |                              | 13/10  |       |
| Manufacturing start date (week / year)                                   |                              | -  |       |
| Supplier address   |                              | Continental Reifen Deutschland GmbH, Continental-Plaza 1, 30173 Hannover, DE |       |
| Further details  |                              |  |       |