

EU REGULATION 2020/740

TYRE LABELLING | IVECO



INFORMATION

The Union has committed itself to creating an energy union with a forward-looking climate policy. Fuel efficiency is a key component of the Union's 2023 climate and energy policy framework and is central to curbing energy demand.

Implementation

Regulation (EU) 2020/740 came into force on 25 June 2020. It repeals and replaces Regulation (EC) No 1222/2009 with effect from 1 May 2021, its date of application. The regulation creates a framework to provide harmonised information on tyre parameters through labelling, enabling end users to make informed decisions when purchasing tyres. The aim is to promote fuel-efficient, safe and low-noise tyres, and thus increase the economic and ecological efficiency of road traffic.


While the content and format of the tyre labelling, i.e. the tyre label, is defined in Annex II, Annex I contains regulations for testing, classification and measurement of the following parameters:

- (A) Fuel efficiency classes and rolling resistance coefficient
- (B) Wet grip classes
- (C) Classes of external rolling noise and measured values
- (D) Snow traction
- (E) Ice traction

Prior to the sale, the Carthago Group is obliged to provide end users with the label for the offered or fitted tyres, as well as the corresponding technical promotional material. It must also ensure that the product data sheet is available.


Your configured vehicle may be equipped with any of the tyre brands listed here, depending on availability at the base vehicle manufacturer and its suppliers.






Supplier name or trademark		BRIDGESTONE	
Commercial name or trade designation		DURAVIS R660	
Tyre type identifier	Tyre class	943761EE	C2
Tyre size designation		195/7	'5 R16C
Speed category symbol		R 170	0 km/h
Load-capacity index (for s	single mounting)	1	10
Load-capacity index (for o	dual mounting)	1	08
Fuel efficiency class			В
Wet grip class			В
External rolling noise class	External rolling noise value	В	71 dB
Tyre for use in severe snow conditions		No	
Load-capacity index for A Description (for single mo		-	
Load-capacity index for A Description (for dual mou		-	
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		14/21	
Date of end of production (Week / Year)		-	
Supplier		QA Operations, Via del Fosso de I Salceto 13/15, 00128 Rome, IT	
Additional information		info in english	






Supplier name or trademark		BRIDGESTONE	
Commercial name or trade designation		DURAVIS R660	
Tyre type identifier	Tyre class	943762EE	C2
Tyre size designation		225/75	5 R16 C
Speed category symbol		R 170	km/h
Load-capacity index (for s	ingle mounting)	12	21
Load-capacity index (for c	dual mounting)	12	20
Fuel efficiency class		Į.	4
Wet grip class		E	3
External rolling noise class	External rolling noise value	В	71 dB
Tyre for use in severe snow conditions		No	
Load-capacity index for Ad Description (for single mo		-	
Load-capacity index for Ad Description (for dual mou			
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		23/21	
Date of end of production	(Week/Year)	-	
Supplier		QA Operations, Via del Fosso de I Salceto 13/15, 00128 Rome, IT	
Additional information		IPC 18867	






Supplier name or trademark		BRIDGESTONE	
Commercial name or trade designation		DURAVIS ALL SEASON	
Tyre type identifier	Tyre class	943891EE	C2
Tyre size designation		225/75 R1	6 C 10 PR
Speed category symbol		R 170	km/h
Load-capacity index (for s	single mounting)	12	21
Load-capacity index (for c	dual mounting)	12	0
Fuel efficiency class			
Wet grip class		Д	4
External rolling noise class	External rolling noise value	А	72 dB
Tyre for use in severe snow conditions		Yes	
Load-capacity index for Additional Service Description (for single mounting)		-	
Load-capacity index for A Description (for dual mou		-	
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		11/21	
Date of end of production	Date of end of production (Week / Year)		
Supplier		Customer Relation Department, Alikahya Fatih ma h. Sanayi cad. No:98 41310 Izmit /KOCAELI TURKEY	
Additional information		IPC 19550	






Supplier name or trademark		NEXENTIRE	
Commercial name or trade designation		ROADIAN CT8	
Tyre type identifier	Tyre class	15158	C2
Tyre size designation		195/7	5R16C
Speed category symbol		T 190) km/h
Load-capacity index (for s	ingle mounting)	1	10
Load-capacity index (for o	dual mounting)	10	08
Fuel efficiency class			C
Wet grip class			A
External rolling noise class	External rolling noise value	В	71 dB
Tyre for use in severe snow	w conditions	No	
Load-capacity index for Additional Service Description (for single mounting)			-
Load-capacity index for A Description (for dual mou		-	
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		30/14	
Date of end of production (Week / Year)			
Supplier		Public contact, Lise-Meitner-Strasse 1, 65779 Kelkheim, DE	
Additional information			






Supplier name or trademark		NEXENTIRE	
Commercial name or trade designation		WINGUARD WT1	
Tyre type identifier	Tyre class	16505	C2
Tyre size designation		195/7	5R16C
Speed category symbol		R 170) km/h
Load-capacity index (for s	single mounting)	1	10
Load-capacity index (for c	dual mounting)	10	08
Fuel efficiency class			D
Wet grip class			С
External rolling noise class	External rolling noise value	В	72 dB
Tyre for use in severe snow conditions		Yes	
Load-capacity index for Additional Service Description (for single mounting)		-	
Load-capacity index for Ad Description (for dual mou		-	
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		05/14	
Date of end of production (Week / Year)		-	
Supplier		Public contact, Lise-Meitner-Strasse 1, 65779 Kelkheim, DE	
Additional information			






Supplier name or trademark		MICHELIN	
Commercial name or trad	e designation	AGILIS+	
Tyre type identifier	Tyre class	246244	C2
Tyre size designation		225/7	5R16C
Speed category symbol		R 170	km/h
Load-capacity index (for s	single mounting)	12	21
Load-capacity index (for o	dual mounting)	12	20
Fuel efficiency class		(C
Wet grip class		[3
External rolling noise class	External rolling noise value	В	70 dB
Tyre for use in severe snow conditions		No	
Load-capacity index for Additional Service Description (for single mounting)			
Load-capacity index for A Description (for dual mou		-	
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		27/11	
Date of end of production	(Week/Year)		
Supplier		Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR	
Additional information		225/75 R 16C 121/120R TL AGILIS+ GRNX M	






Supplier name or trademark		Continental	
Commercial name or trade designation		CONTIVANCONTACT 100	
Tyre type identifier	Tyre class	0451173	C2
Tyre size designation		225/75	R 16 C
Speed category symbol		R 170	km/h
Load-capacity index (for s	ingle mounting)	12	21
Load-capacity index (for c	dual mounting)	12	20
Fuel efficiency class		E	3
Wet grip class		E	3
External rolling noise class	External rolling noise value	В	72 dB
Tyre for use in severe snow conditions		No	
Load-capacity index for Additional Service Description (for single mounting)		-	
Load-capacity index for A Description (for dual mou		-	
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		01/14	
Date of end of production (Week / Year)		-	
Supplier		Continental Reifen Deutschland GmbH, Vahrenwalder Straße 9, 30165 Hannover, DE	
Additional information			






Supplier name or trademark		Cont	Continental	
Commercial name or trade designation		CONTIVANO	CONTACT 100	
Tyre type identifier	Tyre class	0451182	C2	
Tyre size designation		195/75	5 R 16 C	
Speed category symbol		R 170	0 km/h	
Load-capacity index (for s	single mounting)	1	10	
Load-capacity index (for o	dual mounting)	1	08	
Fuel efficiency class			В	
Wet grip class			В	
External rolling noise class	External rolling noise value	В	72 dB	
Tyre for use in severe snow conditions		No		
Load-capacity index for Additional Service Description (for single mounting)			_	
Load-capacity index for Additional Service Description (for dual mounting)		-		
Speed category symbol (for Additional Service Description)				
Date of start of production (Week / Year)		01/14		
Date of end of production (Week / Year)			-	
Supplier			Deutschland GmbH, 9, 30165 Hannover, DE	
Additional information				






Supplier name or trademark		Continental	
Commercial name or trade designation		VanContact 4Season	
Tyre type identifier	Tyre class	0451626	C2
Tyre size designation		195/75	R 16 C
Speed category symbol		R 170	km/h
Load-capacity index (for s	single mounting)	11	10
Load-capacity index (for c	dual mounting)	10)8
Fuel efficiency class		(
Wet grip class		F	4
External rolling noise class	External rolling noise value	В	73 dB
Tyre for use in severe snow conditions		Yes	
Load-capacity index for Additional Service Description (for single mounting)		-	
Load-capacity index for Additional Service Description (for dual mounting)		-	
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		44/17	
Date of end of production (Week / Year)		-	
Supplier		Continental Reifen Deutschland GmbH, Vahrenwalder Straße 9, 30165 Hannover, DE	
Additional information			






Supplier name or trademark		Continental		
Commercial name or trade designation		VANCOFOURSEASON 2		
Tyre type identifier	Tyre class	0473364	C2	
Tyre size designation		225/7	5 R 16 C	
Speed category symbol		R 170) km/h	
Load-capacity index (for s	single mounting)	1	21	
Load-capacity index (for a	dual mounting)	1:	20	
Fuel efficiency class			D	
Wet grip class			В	
External rolling noise class	External rolling noise value	В	73 dB	
Tyre for use in severe sno	w conditions	Yes		
Load-capacity index for Additional Service Description (for single mounting)				
Load-capacity index for A Description (for dual mou		-		
Speed category symbol (for Additional Service Description)				
Date of start of production (Week / Year)		53/19		
Date of end of production	(Week/Year)		-	
Supplier		Continental Reifen Deutschland GmbH, Vahrenwalder Straße 9, 30165 Hannover, DE		
Additional information				






Supplier name or trademark		MICHELIN	
Commercial name or trade designation		AGILIS 3	
Tyre type identifier	Tyre class	557121	C2
Tyre size designation		195/75	5R16C
Speed category symbol		R 170	km/h
Load-capacity index (for s	single mounting)	11	0
Load-capacity index (for c	dual mounting)	10)8
Fuel efficiency class			3
Wet grip class			3
External rolling noise class	External rolling noise value	В	71 dB
Tyre for use in severe snow conditions		No	
Load-capacity index for Additional Service Description (for single mounting)		-	
Load-capacity index for Ad Description (for dual mou			
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		46/17	
Date of end of production (Week / Year)		-	
Supplier		Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR	
Additional information		195/75 R 16C 110/108R TL AGILIS 3 MI	






Supplier name or trademark		MICHELIN	
Commercial name or trade designation		AGILIS+	
Tyre type identifier	Tyre class	663303	C2
Tyre size designation		225/7	5R16C
Speed category symbol		R 170	km/h
Load-capacity index (for s	single mounting)	1	18
Load-capacity index (for c	dual mounting)	1	16
Fuel efficiency class		(C
Wet grip class			В
External rolling noise class	External rolling noise value	В	70 dB
Tyre for use in severe snow conditions		No	
Load-capacity index for Additional Service Description (for single mounting)		-	
Load-capacity index for Additional Service Description (for dual mounting)		-	
Speed category symbol (for Additional Service Description)			
Date of start of production (Week / Year)		27/11	
Date of end of production (Week / Year)		-	
Supplier		Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR	
Additional information		225/75 R 16C 118/116R TL AGILIS+ GRNX MI	





Supplier name or trademark		MICHELIN		
Commercial name or trade designation		AGILIS	AGILIS ALPIN	
Tyre type identifier	Tyre class	920172	C2	
Tyre size designation		225/75R16C		
Speed category symbol		R 170 km/h		
Load-capacity index (for single mounting)		121		
Load-capacity index (for dual mounting)		120		
Fuel efficiency class		С		
Wet grip class		В		
External rolling noise class	External rolling noise value	В	71 dB	
Tyre for use in severe snow conditions		Yes		
Load-capacity index for Additional Service Description (for single mounting)		-		
Load-capacity index for Additional Service Description (for dual mounting)		-		
Speed category symbol (for Additional Service Description)				
Date of start of production (Week / Year)		29/13		
Date of end of production (Week / Year)		-		
Supplier		Service Consommateurs Michelin, place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR		
Additional information		225/75 R 16C 121/12	225/75 R 16C 121/120R TL AGILIS ALPIN M	





PRODUKTDATABLAD

Delegert forordning (EU) 2020/740

Leverandørens navn eller varemerke		CONTINENTAL	
Navn eller varemerke		VANCOFOURSEASON 2	
Dekktype-identifikator	Dekklasse	0473357	C2
Betegnelse for dekkstørrelse		235/65 R 16 C	
Symbol for hastighetskategori		R 170 km/t	
Belastningsindeks (for enkeltmontering)		115	
Belastningsindeks (for dobbeltmontering)		113	
Drivstoffeffektivitetsklasse		D	
Våtgrepsklasse		В	
Klasse for ekstern dekkstøy	Verdi for ekstern dekk- støy	В	73 dB
Dekket er egnet til bruk under ekstreme snøforhold		Ja	
Belastningsindeks for ytterligere driftsbeskrivelse (for enkeltmontering)		-	
Belastningsindeks for ytterligere driftsbeskrivelse (for dobbeltmontering)		-	
Symbol for hastighetskategori (for ytterligere driftsbeskrivelse)			
Dato for produksjonsstart (uke/år)		13/10	
Dato for produksjonsslutt (uke/år)		-	
Leverandørens adresse		Continental Reifen Deutschland GmbH, Continen- tal-Plaza 1, 30173 Hannover, DE	
Mer informasjon			

